

000000 - 00 #567

000000000000

12/14/2019 02:18 PM - 00 @mizo0203

Status:	00	Start date:	12/14/2019
Priority:	00	Due date:	
Assignee:	00 @mizo0203	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	v1.0	Spent time:	2.75 hours
Description			

Associated revisions

Revision a56572ef - 12/14/2019 04:56 PM - 00 @mizo0203

Remove nickname restrictions. ref #567 @0.25h

History

#1 - 12/14/2019 04:00 PM - 00 @mizo0203

- Status changed from 00 to 00

- % Done changed from 0 to 100

00

- CentOS 7
- Tomcat 7

000

/etc/tomcat/server.xml 73 000000

URIEncoding="UTF-8" useBodyEncodingForURI="true" 000000Tomcat 00000000

0000 /etc/tomcat/server.xml 0000

```

<!-- A "Connector" represents an endpoint by which requests are received
and responses are returned. Documentation at :
Java HTTP Connector: /docs/config/http.html (blocking & non-blocking)
Java AJP Connector: /docs/config/ajp.html
APR (HTTP/AJP) Connector: /docs/apr.html
Define a non-SSL HTTP/1.1 Connector on port 8080
-->
<Connector port="8080" protocol="HTTP/1.1"
connectionTimeout="20000"
redirectPort="8443" URIEncoding="UTF-8" useBodyEncodingForURI="true" />

```

Tomcat 00000000

```
# systemctl restart tomcat
```

00000000

- <http://kenken4320.hatenadiary.jp/entry/2013/02/21/233007>
- <https://blanche-toile.com/web/tomcat-form-input-garbled>
- <https://teratail.com/questions/16215>
- <http://tomcat.apache.org/tomcat-7.0-doc/config/ajp.html>

```
# cat /etc/redhat-release
CentOS Linux release 7.7.1908 (Core)
```

```
# tomcat version
Server version: Apache Tomcat/7.0.76
Server built: Mar 12 2019 10:11:36 UTC
```

```
Server number: 7.0.76.0
OS Name: Linux
OS Version: 3.10.0-1062.4.3.el7.x86_64
Architecture: amd64
JVM Version: 1.8.0_232-b09
JVM Vendor: Oracle Corporation
```

```
# diff /etc/tomcat/server.xml.org /etc/tomcat/server.xml
73c73
```

```
<      redirectPort="8443" />
```

```
---
```

```
>      redirectPort="8443" URIEncoding="UTF-8" useBodyEncodingForURI="true" />
```